



## **Classification report on fire spread degree according to PN-B-02867:2013-06**

Contract No.: 01901/25/R75NZP

<b>Client:</b>	<i>Profile VOX Sp. z o.o. Sp. k. ul. Gdyńska 143 62-004 Czerwonak</i>
<b>Issued by:</b>	<i>Fire Research Department Building Research Institute ul. Filtrowa 1 00-611 Warsaw</i>
<b>Scope of the Report</b>	<i>PVC-U SOLVO panel with finishing elements</i>
<b>Classification report no:</b>	<i>01901.5/25/R75NZP</i>
<b>Issue No.:</b>	<i>1</i>
<b>Date of issue:</b>	<i>23 June 2025</i>
<b>Valid until:</b>	<i>23 June 2028</i>

This classification report consists of four pages. It may only be used or reproduced in its entirety.

### **1. Introduction**

This classification report specifies the classification awarded to PVC-U SOLVO façade panels including finishing materials in accordance with PN-B-02867:2013-06.

### **2. Test reports and test results underlying the classification**

#### **2.1 Fire spread degree testing reports according to PN-B-02867:2013-06**


<b>Laboratory name</b>	<b>Client</b>	<b>Test report no. and date</b>	<b>Test results</b>
<i>ITB Fire Research Laboratory</i>	<i>Profile VOX Sp. z o.o. Sp. k.</i>	<i>LZP07-01901/25/R75NZP 28 May 2025</i>	<i>NRO (non fire-spreading)</i>

**Tested wall description:**

SOLVO PVC-U panel:  
 Panel thickness: 18 mm  
 Panel width: 187 mm  
 Surface mass: 8.5 kg/m<sup>2</sup>

SO-03

Triple panel



### 3. Classification and the scope of its application

#### 3.1 Classification reference

Classification has been determined in accordance with PN-B-02867:2013-06.

#### 3.2 Classification

Classified items: PVC-U SOLVO panel with finishing elements

**Fire spread degree:**

**NRO (non fire-spreading)**

#### 3.3 Scope of application

This classification is valid for the following parameters of component products:

PVC-U SOLVO panels with finishing elements


Maximum width: 187 mm

Panel weight: up to 8.5 kg/m<sup>2</sup>


The design of the panels and finishing elements is shown in Figures 1 and 2.

SOLVO façade panels with finishing elements are manufactured by Profile VOX sp. z o.o. sp. k., ul. Gdyńska 143, 62-004 Czerwonak, Poland.


SO-01  
Single panel











SO-02  
Double panel



SO-03  
Triple panel



*Fig. 1 PVC-U SOLVO panels  
(drawing provided by the client)*

FS-211	FS-222
	
FS-251	FS-252
	
FS-261	FS-262
	
FS-282	SV-11.5.
	
Fig. 2 Finishing elements (drawing provided by the client)	

#### 4. Limitations

This classification document is not a technical approval or product certification.

**Signed by**

Łukasz Jarołowicz  
signed electronically

**Accepted by**  
**Manager, Fire Research Department**

dr inż. Bartłomiej K. Papis  
signed electronically