

MORE FROM WOOD.

# Flooring Collection **25+**

Accessories

# Matched from start to finish.

# EGGER flooring accessories

Of course, when installing a floor, the most important thing is the floor itself. But the result is only really perfect with the right accessories. Discover underlay mats, skirting boards, corner and connecting elements, as well as floor profiles that are perfectly matched to our flooring products.





## Underlay mats

For long-lasting enjoyment of the floor, a suitable underlay mat is essential. It levels out unevenness, absorbs noise and protects the floor from rising humidity. It also improves walking comfort and increases durability. Available as a resilient polyurethane-mineral mixture or XPS-based folding mat with or without vapour barrier.

on to egger link / underlays



### Skirtings

MDF skirting boards create an attractive transition between the floor and wall, protect against knocks and conceal unevenness. Our easy-care skirting boards are available in various colours and profile shapes. From discreet to stylish, our extensive range even includes matching corner and connecting elements.

» to.egger.link/skirting



## EGGER Perfect Finish System

One decor – multiple options for a perfect finish.

Our decorative skirting boards, beading profiles and the 3-in-1 aluminium profiles are perfectly colour-coordinated with each other and with our flooring decors.

to.egger.link/accessories

## Our underlay mats ensure

## a stable floor



High-quality underlays from EGGER protect the floor covering and ensure long-lasting enjoyment. They improve walking comfort, reliably reduce walking and impact noise, level out any unevenness in the subfloor and can be removed without leaving any residue

## Which EGGER underlay

## is the right one for you?



### Silenzio Easy

The XPS-based Silenzio Easy sound-proofing underlay for click laminate is suitable for floating installation on non-mineral subfloor constructions. It impresses with its impact and room noise reduction and offers lasting protection and stability.

Format: Folding mat 12,000 × 1,250 × 2 mm; 15 m<sup>2</sup>



### Silenzio Easy SD

The XPS-based Silenzio Easy SD sound-proofing underlay with integrated vapour barrier film effectively protects the floor covering from rising humidity and is ideal for the floating installation of laminate flooring on mineral subfloors such as screed or concrete. Any unevenness in the subfloor can be levelled out with this underlay.

Format: Folding mat 12,500 × 1,200 × 2 mm; 15 m<sup>2</sup>



#### Silenzio Duo

EGGER Silenzio Duo is ideally suited for the floating installation of laminate flooring on mineral subfloors. Thanks to its extreme pressure stability, it gives the installed flooring lasting protection and stability. It can be installed directly on mineral subfloors thanks to the integrated vapour barrier film with adhesive strips. Given its low heat conductivity, it also enables efficient use of underfloor heating.

Format: Folding mat 8,500 × 1,180 × 1.5 mm; 10 m<sup>2</sup>



### Silenzio Professional SD 3-in-1

EGGER Silenzio Professional SD 3-in-1 is ideally suited for the floating installation of laminate flooring on mineral subfloors. It can be installed and fixed directly on mineral subfloors thanks to the integrated vapour barrier film with adhesive strips. It provides effective protection against rising humidity, offers protection and stability to the installed floor, enables efficient use of underfloor heating thanks to its low heat conductivity and significantly reduces impact and room noise.

Format: Roll 8,000 × 1,000 × 1,8 mm; 8 m<sup>2</sup>



#### Alu Flex

This high-quality vapour barrier for laminate flooring provides effective protection against rising humidity. The vapour barrier film is ideal for floating installation of laminate and hybrid flooring. It can be installed directly on mineral subfloors (e.g. screed, concrete). The low heat conductivity enables efficient use of underfloor heating and saves energy.

Format: Roll 26,000 × 1,000 × 0,2 mm; 26 m<sup>2</sup>

You can find out which underlay you need for your new laminate or hybrid flooring from the following table.

Product	Silenzio Easy	Silenzio Easy SD	Silenzio Professional SD 3-in-1	Silenzio Duo	Alu Flex
Flooring categories	Laminate flooring	Laminate flooring	Laminate flooring	Laminate flooring	Laminate, hybrid flooring
Subfloor	Wood/mineral	Mineral	Mineral	Mineral	Mineral
Surface [m²]	15	15	8	10	26
Dimensions [m]	12 × 1.25	12.5 × 1.2	8 × 1	8.5 × 1.18	26 × 1
Thickness [mm]	2.0	2.0	1.8	1.5	0.2
Mechanical strength	<b>/ / / / /</b>	<b>√</b> √√√√	<b>////</b>	<b>////</b>	<b>////</b>
Acoustics	<b>/ / / / /</b>	<b>√</b> √√√√	<b>////</b>	<b>////</b>	<b>√</b> √√√√
Vapour barrier	-	<b>V V V V</b>	<b>///</b> //	<b>////</b>	<b>////</b>
Underfloor heating	<b>V V V V</b>	<b>√</b> √√√√	<b>////</b>	<b>////</b>	<b>////</b>
Compressive strength CS [kPa]	110	110	200	400	_
Improvement of walking noise RWS [Sone]	101	98	68	75	_
Suitable for hot-water underfloor heating R [m² K/W]	0.057	0.057	0.01	0.04	0.04
Protection against humidity SD [m]	-	100	75	150	100

All our Silenzio underlays fulfil the increased requirements of the EPLF and MMFA WOOD





## Skirting boards

Choosing the right skirting board is crucial for a harmonious room appearance. Skirting boards not only ensure a seamless transition between the floor and wall by covering the expansion joint, but also protect the wall from knocks and dirt. Our extensive range includes classic white and modern decorative skirting boards that are part of our EGGER Perfect Finish System. All products in our EGGER Perfect Finish System are perfectly colour-coordinated.



### Decor skirting board 6 cm and 8 cm cubic







The modern EGGER CUBICAL decorative skirting boards are available at a height of either 6 or 8 cm. Their cubic design gives them a contemporary appearance. The colour-coordinated decorative film harmonises perfectly with our floor decors. These skirting boards are made of high-quality, laminated MDF and have a clip groove on the back for easy

installation with the EGGER Clipholder mounting system. Alternatively, they can also be fitted using adhesive, bolts or nails.

Dimensions: 2,400 × 14 × 58 mm 2,400 × 14 x 80 mm

## Clipholder – mounting clip for 6 cm and 8 cm skirting boards




The EGGER Clipholder mounting clip enables uncomplicated and clean mounting of skirting boards. The skirting boards are simply clipped on, creating a clean and aesthetic wall finish without visible bolt or nail heads.

## Connecting and end elements for 6 cm decorative skirting board



For effortless installation without mitre cuts, we offer connecting and end elements in various decors for the 6 cm decorative skirting board. Our corner and connecting elements, which are visually matched to the skirting board decor, ensure optimum ends and transitions between the skirtings.






### White cubic skirting boards

The white cubic skirting boards with 4, 6, 8 or 10 cm plinth height create a modern and clean wall finish. The linear and minimalist design can be combined with all floor decors. The skirting can be painted with solvent-free paints and is made of robust MDF and a white primer film. Annoying cables can be easily concealed in the integrated trunking.

#### **Dimensions:**

2,400 × 16 × 40 mm, 2,400 × 18 × 60 mm, 2,400 × 18 × 80 mm, 2,400 × 18 × 100 mm





## White Hamburger skirting boards

The Hamburger skirting boards with a choice of 7 and 10 cm plinth height create an elegant wall finish. Their classic curved design is an eye-catcher in prestigious rooms. White skirting boards act as a discreet frame, setting the floor off from the wall and enhancing its effect. The skirtings can be painted and are made of robust MDF with a white primer film. Annoying cables can be easily concealed in the integrated trunking.

#### Dimensions:

2,400 × 18 × 70 mm, 2,400 × 18 × 100 mm







### Beading profiles

Our beading profiles are perfectly colourcoordinated with our flooring decors and ensure a harmonious installation pattern. The minimalist skirtings consist of an MDF core and a water-repellent decorative film and can be easily attached with mounting adhesive or by nailing.


Dimensions: 2,400 × 16 × 16 mm

## Aluminium profiles

Suitable aluminium profiles are essential for connecting height differences and door transitions between two floor coverings. These are available in the classic silver anodised version as a transition, levelling or end profile, or as a multifunctional 3-in-1 aluminium profile with decorative foil. Like all products in our EGGER Perfect Finish System, our 3-in-1 aluminium profiles are perfectly colour-coordinated with our flooring decors.




### EGGER 3-in-1 aluminium profile decor



Our 3-in-1 aluminium profile strips for floating floors with a thickness of 6.5 to 16 mm offer a 3-in-1 function: They level out unevenness, cover transitions and serve as a finish. These skirtings match the decor of our flooring items, creating a harmonious overall look. With abrasion class AC3, they are hard-wearing and can be installed quickly and easily thanks to the supplied knock-in dowels and adhesive strips.

Format: 1,860 × 37 × 5 mm







### Anodised aluminium profiles



#### Aluminium transition profile

With the silver anodised EGGER aluminium transition profile, the transitions between two floor coverings, e.g. in doorways, are designed to be visually appealing and clean. The transition profile offers the optimal solution for floors with a thickness of 6.5 to 16 mm. Including fastening rail and fastening material.

Formats: 1,000 × 34 × 6.5-16 mm 2,700 × 34 × 6.5-16 mm



#### Aluminium levelling profile

With the silver anodised EGGER aluminium levelling profile, height differences between two floor coverings can be made visually appealing and clean. The levelling profile offers the optimal solution for floors with a thickness of 6.5 to 16 mm. Including fastening rail and fastening material.

Formats: 1,000 × 44 × 6.5-16 mm 2,700 × 44 × 6.5-16 mm



#### Aluminium border profile

The silver anodised EGGER aluminium end profile provides a visually appealing and clean finish to walls and doors. The end profile offers the optimal solution for floors with a thickness of 6.5 to 16 mm. Including fastening rail and fastening material.

Formats: 1,000 × 21 × 6.5-16 mm 2,700 × 21 × 6.5-16 mm



# Choose your favourites.

Find the right accessories for your flooring project. Visit our website.

» to.egger.link/accessories

## *Installation*


Our installation tools



Discover our range of high-quality flooring installation accessories to help you professionally install your new EGGER flooring. From installation kits to special tools, we offer everything you need for precise and efficient installation.

## Care and repair

Our cleaning and repair tools





## Installation kit for floors with CLIC it profile!

The EGGER installation set is specially designed for the installation of EGGER laminate and hybrid flooring with the EGGER CLIC it! locking system. It contains a metal pull bar that makes it easy to install the flooring boards even in hard-to-reach places. In addition, 20 spacer wedges are included to ensure the correct distance from the wall. The tapping block made of 100 % solid beech makes it easier to hammer in the flooring boards thanks to its self-holding function.



### Clean-It floor cleaner

The floor cleaner was specially developed for cleaning EGGER laminate and hybrid floors. It ensures excellent dirt absorption and has an antistatic effect. The floor is clean and streak-free, and also dries quickly. One 1 litre bottle of cleaner concentrate is sufficient for approximately 20 cleans.



## *Tapping block for all floors*

in herringbone format with uni-zip joint

Our special tapping block was developed specifically for installing EGGER NatureSense Herringbone laminate flooring. It is made from durable recycled plastic and ensures simple, quick and safe installation. Thanks to its self-holding function, it enables precise installation.



#### Decor Mix and Fill

The Decor Mix and Fill repair set is available for the simple and uncomplicated repair of laminate and hybrid flooring. This set makes it easy to repair small dents and scratches. The colour of the repair compound can be individually matched to the floor colour. The set consists of a filling paste and colour pigments for ideal colour matching. A colour template helps to determine the correct mixing ratio.



### Alu Tape

The self-adhesive aluminium tape is ideal for vapour-tight taping of butt joints in vapour barrier films and insulation underlays. It ensures reliable sealing in the wall finish area and can also be used to fix insulation underlays.

Format: 0.5 cm × 50 m

## EGGER Perfect Finish System

One decor — multiple options for a perfect finish

One decor – multiple options for a perfect finish.

With the EGGER Perfect Finish System, you have the opportunity to give your rooms a harmonious overall appearance. Our decorative skirting boards, beading profiles and the 3-in-1 aluminium profiles are perfectly colour-coordinated with each other and with our flooring decors. Thanks to uniform coding, you can recognise at first glance which elements go together.



#### EGGER Perfect Finish System - all options at a glance

Decor	6 cm decorative skirting board Cubical	8 cm decorative skirting board Cubical	3-in-1 profile	Beading profile	Corners and connections
EL1030	L114	L114			Natural Beech
EL2403	L589	L589	D589	H589	Anthracite Oak
EL2078	L550	L550			Anthracite Oak
EDF164	L712	L712			Beige Oak
EL2029	L617	L617			Beige Oak
EL2043	L625	L625			Beige Oak
EL2822	L649	L649			Beige Oak
EL2858	L370	L370			Beige Oak
EDF145	L671	L671			Cappuccino Oak
EDF201	L672	L672	D672	H672	Cappuccino Oak
EL2520	L672	L672	D672	H672	Cappuccino Oak
EL2138	L690	L690	D690	H690	Cappuccino Oak
EDF188	L708	L708	D708	H708	Cappuccino Oak
EL2091	L708	L708	D708	H708	Cappuccino Oak
EDF205	L719	L719	D719	H719	Cappuccino Oak
EL2141	L719	L719	D719	H719	Cappuccino Oak
EL2242	L745	L745	D745	H745	Cappuccino Oak
EL1061	L654	L654			Cappuccino Oak
EL2076	L659	L659			Cappuccino Oak
EL2093	L686	L686			Cappuccino Oak
EL2113	L730	L730			Cappuccino Oak
EDF187	L628	L628	D628	H628	Cream Oak
EDF208	L673	L673	D673	H673	Grey Oak
EDF204	L609	L609			Grey Oak
EL2010	L609	L609			Grey Oak
EL2081	L656	L656			Grey Oak
EL2637	L207	L207			Grey Oak
EL1096	L610	L610			Grey Blue Oak

Decor	6 cm decorative skirting board Cubical	8 cm decorative skirting board Cubical	3-in-1 profile	Beading profile	Corners and connections
EL1031	L608	L608			Grey Brown Oak
EL2942	L514	L514	D514	H514	Grey Beige Oak
EDF186	L627	L627	D627	H627	Grey Beige Oak
EL2173	L704	L704	D704	H704	Grey Beige Oak
EDF206	L720	L720	D720	H720	Grey Beige Oak
EL2142	L720	L720	D720	H720	Grey Beige Oak
EL2184	L740	L740	D740	H740	Grey Beige Oak
EL2112	L729	L729			Grey Beige Oak
EL2160	L737	L737			Grey Beige Oak
EL2162	L738	L738			Grey Beige Oak
EDF191	L683	L683	D683	H683	Light Oak
EL2170	L701	L701	D701	H701	Light Oak
EL2194	L710	L710	D710	H710	Light Oak
EL2195	L711	L711	D711	H711	Light Oak
EDF190	L713	L713	D713	H713	Light Oak
EDF195	L716	L716	D716	H716	Light Oak
EL2181	L716	L716	D716	H716	Light Oak
EDF196	L717	L717	D717	H717	Light Oak
EL2161	L717	L717	D717	H717	Light Oak
EDF180	L736	L736	D736	H736	Light Oak
EL2525	L726	L726			Light Oak
EL290F	L705	L705			Light Oak
EL2974	L651	L651			Light Oak
EL2980	L652	L652			Light Oak
EL2988	L647	L647	D647	H647	Light Grey Oak
EL2154	L696	L696			Light Grey Oak
EL2835	L160	L160			Light Grey Oak
EDF203	L605	L605			Honey Oak
EL2431	L535	L535	D535	H535	Honey Oak

Decor	6 cm decorative skirting board Cubical	8 cm decorative skirting board Cubical	3-in-1 profile	Beading profile	Corners and connections
EDF199	L612	L612	D612	H612	Honey Oak
EL2027	L612	L612	D612	H612	Honey Oak
EL2428	L637	L637	D637	H637	Honey Oak
EL1055	L634	L634			Honey Oak
EL1071	L663	L663			Honey Oak
EL1089	L639	L639			Honey Oak
EL1242	L614	L614			Honey Oak
EL2009	L613	L613			Honey Oak
EL2416	L605	L605			Honey Oak
EL2417	L635	L635			Honey Oak
EL291F	L706	L706			Caramel Oak
EDF144	L547	L547			Middle Brown Oak
EDF176	L558	L558	D558	H558	Middle Brown Oak
EDF198	L615	L615	D615	H615	Middle Brown Oak
EL1062	L643	L643			Middle Brown Oak
EL1087	L638	L638			Middle Brown Oak
EL2026	L615	L615	D615	H615	Middle Brown Oak
EDF184	L626	L626	D626	H626	Middle Brown Oak
EL2150	L692	L692	D692	H692	Middle Brown Oak
EL2171	L702	L702	D702	H702	Middle Brown Oak
EL2028	L616	L616			Middle Brown Oak
EL202F	L636	L636			Middle Brown Oak
EL2092	L685	L685			Middle Brown Oak
EL2730	L629	L629			Middle Brown Oak
EL2771	L632	L632			Middle Brown Oak
EL2805	L323	L323			Middle Brown Oak
EL2831	L631	L631			Middle Brown Oak
EL2855	L369	L369			Middle Brown Oak
EL2192	L743	L743	D743	H743	Mokka Oak

Decor	6 cm decorative skirting board Cubical	8 cm decorative skirting board Cubical	3-in-1 profile	Beading profile	Corners and connections
EL2191	L742	L742			Mokka Oak
EL1056	L386	L386			Natural Oak
EL2035	L490	L490	D490	H490	Natural Oak
EL1093	L584	L584			Natural Oak
EL2064	L584	L584	D584	H584	Natural Oak
EDF193	L624	L624	D624	H624	Natural Oak
EL203F	L368	L368			Natural Oak
EL2014	L624	L624	D624	H624	Natural Oak
EL2973	L655	L655	D655	H655	Natural Oak
EL2152	L694	L694	D694	H694	Natural Oak
EL2158	L700	L700			Natural Oak
EL2405	L595	L595			Natural Oak
EL2733	L266	L266			Natural Oak
EL2923	L650	L650			Natural Oak
EDF103	L447	L447			Red Brown Oak
EDF200	L667	L667			Red Brown Oak
EL2402	L588	L588	D588	H588	Red Brown Oak
EL2067	L667	L667			Red Brown Oak
EL2856	L642	L642	D642	H642	Red Brown Oak
EL2096	L727	L727			Red Brown Oak
EL2940	L646	L646	D646	H646	Red Brown Oak
EL2928	L665	L665	D665	H665	Red Brown Oak
EL2114	L731	L731			Red Brown Oak
EL2032	L669	L669	D669	H669	Red Brown Oak
EL2137	L689	L689	D689	H689	Red Brown Oak
EL2172	L703	L703	D703	H703	Red Brown Oak
EDF173	L735	L735	D735	H735	Red Brown Oak
EL2935	L735	L735	D735	H735	Red Brown Oak

Decor	6 cm decorative skirting board Cubical	8 cm decorative skirting board Cubical	3-in-1 profile	Beading profile	Corners and connections
EL2155	L697	L697			Red Brown Oak
EL2265	L670	L670			Red Brown Oak
EL2863	L289	L289			Red Brown Oak
EL2953	L662	L662			Red Brown Oak
EL2970	L633	L633			Red Brown Oak
EDF185	L623	L623	D623	H623	Sand Oak
EL1038	L623	L623	D623	H623	Sand Oak
EDF210	L661	L661	D661	H661	Sand Oak
EL2102	L661	L661	D661	H661	Sand Oak
EL2136	L688	L688	D688	H688	Sand Oak
EL2151	L693	L693	D693	H693	Sand Oak
EL2157	L699	L699			Sand Oak
EL1028	L641	L641			Silver Oak
EL2135	L653	L653	D653	H653	Silver Oak
EL2156	L698	L698			Silver Oak
EL2406	L596	L596			Silver Oak
EL2082	L567	L567			Taupe Oak
EDF177	L573	L573	D573	H573	Taupe Oak
EDF197	L718	L718	D718	H718	Taupe Oak
EL2163	L718	L718	D718	H718	Taupe Oak
EL2134	L734	L734	D734	H734	Taupe Oak
EL2190	L741	L741	D741	H741	Taupe Oak
EL2183	L739	L739			Taupe Oak
EL2700	L648	L648			Taupe Oak
EL2077	L658	L658			Toffee Oak
EL2090	L684	L684			Toffee Oak
EDF192	L714	L714	D714	H714	Toffee Oak
EL292F	L707	L707			Toffee Oak

Decor	6 cm decorative skirting board Cubical	8 cm decorative skirting board Cubical	3-in-1 profile	Beading profile	Corners and connections
EL1067	L388	L388			White Oak
EL2111	L728	L728			White Oak
EL2062	L582	L582	D582	H582	White Oak
EL2968	L582	L582			White Oak
EL2430	L645	L645	D645	H645	White Oak
EL2193	L709	L709	D709	H709	White Oak
EDF194	L715	L715	D715	H715	White Oak
EL2180	L715	L715	D715	H715	White Oak
EDF209	L722	L722	D722	H722	White Oak
EL2834	L664	L664			White Oak
EL1012	L679	L679			Beige Ash
EL2034	L489	L489	D489	H489	Beige Ash
EL2132	L732	L732	D732	H732	Beige Ash
EL2133	L733	L733	D733	H733	Beige Ash
EL2240	L744	L744	D744	H744	Beige Ash
EL2952	L501	L501			Beige Ash
EL1037	L611	L611			Grey Ash
EL2074	L504	L504			Grey Ash
EL1094	L583	L583	D583	H583	Grey Ash
EL2063	L583	L583	D583	H583	Grey Ash
EL1307	L681	L681			Brown Walnut
EL2099	L488	L488			Brown Walnut
EL2103	L660	L660	D660	H660	Brown Walnut
EL2033	L668	L668	D668	H668	Brown Walnut
EL2418	L606	L606			Brown Walnut
EL2153	L695	L695	D695	H695	Brown Walnut
EDF207	L721	L721	D721	H721	Brown Walnut
EL2526	L721	L721	D721	H721	Brown Walnut

Decor	6 cm decorative skirting board Cubical	8 cm decorative skirting board Cubical	3-in-1 profile	Beading profile	Corners and connections
EL1007	L640	L640			Light Brown Walnut
EL2070	L503	L503			Light Brown Walnut
EL2065	L585	L585	D585	H585	Light Brown Walnut
EL2139	L691	L691	D691	H691	Light Brown Walnut
ELF186	L477	L477	D477	H477	Stone grey
EDF810	L598	L598	D598	H598	Stone grey
ELF243	L725	L725	D725	H725	Stone grey
EDF301	L675	L675	D675	H675	Stone black
EL2404	L590	L590	D590	H590	Universal Black
EDF303	L676	L676	D676	H676	Universal Black
ELF228	L676	L676	D676	H676	Universal Black
ELF237	L724	L724	D724	H724	Universal Black
EL1011	L355	L355			Universal White
EL2023	L536	L536			Universal White
EL2804	L557	L557			Universal White
ELF812	L478	L478	D478	H478	Universal White
ELF021	L666	L666			Universal White
EDF174	L511	L511	D511	H511	Universal White
EL2936	L511	L511	D511	H511	Universal White
EDF305	L581	L581	D581	H581	Universal White
ELF637	L581	L581	D581	H581	Universal White
EDF300	L674	L674	D674	H674	Universal White
EDF304	L677	L677	D677	H677	Universal White
ELF676	L687	L687			Universal White
ELF226	L723	L723	D723	H723	Universal White

#### www.egger.com

The experts in our Service Centre are happy to assist you!

**Service Centre AT** 

T +43 800 888 111

sc.at@egger.com

**Service Centre DE** 

r +49 800 344 37 45

sc.de@egger.com

**Service Centre CH** 

**1** +41 41 349 50 05 sc.ch@egger.com

Service Centre IT

T+39 800 78 25 54

sc.it@egger.com

Service Centre FR

00 800 4000 88 00

doc@egger.com

**Service Centre ES** 

00 800 4000 88 00

doc@egger.com

**Service Centre PT** 

T 00 800 4000 88 00

doc@egger.com

Service Centre UK

T +44 845 606 8888

productsupport@egger.com

Service Centre Scandinavia

T +45 75 29 10 00

info-scan@egger.com

**Service Centre RO** 

T +40 3724 38000

info-ro@egger.com

Service Centre TR

T +90 262 648 4500

info-troegger.com

EGGER HR/BA

info-hr@egger.com

EGGER GR

in fo-gr@egger.com

EGGER SI

info-si@egger.com

EGGER RS/ME/MK/XK/AL

info-rs@egger.com

EGGER HU

info-hu@egger.com

EGGER CN

china@egger.com

**EGGER Overseas** 

international@egger.com

EGGER Holzwerkstoffe Wismar GmbH & Co. KG

Am Haffeld 1
23970 Wismar

Germany

r +49 3841 301-0

F +49 3841 301-20222

flooring @ egger.com